



Double tray



Soft touch key pad



Rechargeable battery

EC SERIES

Counting Scale

EC series are easy to use industrial & commercial bench top scales. High resolution for accurate counting. The EC Digital Counting Scale is compatible with label or ticket printers. Counting made easy, from light to heavy weight items.

- 1/600,000 high resolution for accurate counting
- Compatible with Label /Ticket printer
- Optional rear display



DLP-50 Printer

CAS


EC SERIES | Counting Scale



FEATURES

Clear and highly legible LCD display with blue backlight.

Total weight, Unit weight and Number of units (counting) can be identified at the same time on 3 independent LCD displays. The blue backlight will automatically turn on when the scale is loaded and will turn off when the object is removed. Also optional rear display available.



Weight/count comparison function with alarm beeps (HI/LO)

Customers can preset the range of weight & count data, so EC series will indicate whether the actual weight of the loaded items is out of the preset range with an alarm beep. EC series offers the most efficient controlling solution with preset ranges of weight & count. It also will enable users to conduct a much faster and easier operation.



RS-232C interface

EC series can incorporate a bidirectional communication with a printer or PC via RS-232C interface.



Double tray

EC series are constructed with a plastic and stainless steel platter which are made of heavy-duty and washable material.



High resolution for accurate counting

1/600,000 internal and 1/30,000 external resolution are enhanced for more accurate counting. EC is a counting scale not only for high precision but also for excellent operating speed.

200 unit weight memory function

EC series can memorize up to 200 unit weights. Users can manage the diverse parts and accessories with EC series.

Accumulation function(Σ)

By using the accumulation key, users can sum up the total weight and quantity of multiple items.

EC SERIES | Counting Scale



Barcode label printer DLP-50 and ticket printer DEP-50


The scale can be connected with a barcode label or ticket printer which prints out the date, item number & weight and quantity.

Record#01	
Net:	2000.00 g
UW:	10.0000 g
Pcs:	200
Tare:	g
Record#02	
Net:	3000.00 g
UW:	10.0000 g
Pcs:	300
Tare:	g
Record#03	
Net:	1000.00 g
UW:	10.0000 g
Pcs:	100
Tare:	g
TOTAL	
Net:	6000.00 g
Pcs:	600

• Ticket



• Label



EC series can be support 10 different label formats.

INCLUDED ACCESSORIES



• AC Adapter



• Dust protection cover



• battery life: 80 hours

- RS-232C interface [Connect with PC / Printer]
- AC Adapter, Rechargeable battery (6V,5Ah)
- Blue backlight
- Dust protection cover

OPTIONS



- Label Printer : DLP-50
- Ticket Printer : DEP-50
- Rear Display
- OIML Version


EC SERIES | Counting Scale



SPECIFICATIONS

Model	EC Series			
Max. Capacity (kg)	3	6	15	30
Readability (g)	0.1	0.2	0.5	1
Internal Resolution	1/600,000			
External Resolution	1/30,000			
Display Type	LCD Display			
Weight Units	kg or g, lb			
Zero Range	± 2%			
Tare Range	Full capacity by subtraction			
Stabilization Time	≤ 2 seconds			
Operating Temp.	0°C ~ 40°C			
Power	AC adapter DC 12V / 800mA , Rechargeable battery (6V,5Ah)			
Battery Life	80hrs continuous use with 12hrs recharge time			
Safe overload cap.	120% of capacity			
Pan Size (mm)	ABS plastic: 304(W) x 220(D) Stainless Steel: 306(W) x 222(D)			
Dimensions (mm)	330(W) x 346(D) x 107(H)			
Product Weight (kg)	4.5			

DIMENSIONS



FEATURES

- Simple and easy operation
- 200 unit weight memory function
- High internal resolution. [1/600,000]
- External resolution [1/30,000]
- Weight / Count comparison function with alarm beeps (HI/LO)
- 2 separated plastic and stainless steel pans
- Rechargeable battery operation (AC adapter included)
- RS-232C interface (included)
- Blue backlight LCD display
- Soft touch tact switch
- Accumulation mode (Σ)
- Label & ticket print out (DLP-50, DEP-50)
- Auto power-off function

CAS

CAS BLDG., # 440-1, SUNGNAE-DONG,
GANGDONG-GU, SEOUL, KOREA

TEL_ 82 2 2225 3500

FAX_ 82 2 475 4668

<http://www.globalcas.com>

Specifications are subject to change for improvement without prior notice.